# SWISHER

# **Material Safety Data Sheet**

Issuing date 10-Oct-2011 Revision Date 29-Nov-2011 Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Bathroom Kleen

Product code 41764-1 UN/ID No UN1760

Recommended Use Non-Acid All Purpose Sink, Tub & Tile Cleaner

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive, Suite 400,

Charlotte, NC 28210

**Chemical Emergency Phone** 

Number

800-424-9300 (Chemtrec)

**Company Emergency Phone** 

Number

800-444-4138

# 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

This product contains substances which at their given concentration, are considered to be hazardous to health.

Appearance Thin Liquid Physical state liquid. Odor Surfactant

**Potential Health Effects** 

**Acute toxicity** 

Eyes Corrosive; Causes irritation of eyes, and with greater exposures it can cause burns that

may result in permanent impairment of vision, even blindness.

**Skin** Corrosive; Causes severe burns

Inhalation Severe irritant. Effects from inhalation of mist vary from mild irritation to serious damage of

the upper respiratory tract, depending on severity of exposure. Symptoms may include

sneezing, sore throat or runny nose. Severe pneumonitis may occur.

**Ingestion** Corrosive; Swallowing may cause severe burns of mouth, throat, and stomach. Severe

scarring of tissue and death may result. Symptoms may include bleeding, vomiting,

diarrhea, fall in blood pressure. Damage may appear days after exposure.

**Chronic Effects** Prolonged contact with dilute solutions or dust has a destructive effect upon tissue.

Aggravated Medical Conditions Persons with pre-existing skin disorders or eye problems or impaired respiratory function

may be more susceptible to the effects of the substance.

Environmental hazard See Section 12 for additional Ecological Information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Revision Date 29-Nov-2011

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
Sodium hydroxide	1310-73-2	<5

# 4. FIRST AID MEASURES

**Eye contact** Flush with flowing water for 15 minutes & see physician.

**Skin contact** Immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Call a physician, immediately. Wash clothing before

re-use.

**Inhalation** Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get

medical help.

Ingestion Drink large amounts of water or milk. DO NOT INDUCE VOMITING. See a physician

immediately Never give anything by mouth to an unconscious person

Notes to physician Perform endoscopy in all cases of suspected sodium hydroxide ingestion. In cases of

severe esophageal corrosion, the use of therapeutic doses of steroids should be considered. General supportive measures with continual monitoring of gas exchange,

acid-base balance, electrolytes, and fluid intake are also required.

# 5. FIRE-FIGHTING MEASURES

Flammable Properties Not flammable

Flash point none

Suitable Extinguishing Media Use any means suitable for extinguishing surrounding fire. Adding water to caustic solution

generates large amounts of heat.

**Explosion Data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

none none

Specific hazards arising from the

chemical

Not considered to be a fire hazard. Hot or molten matieral can react violently with water. Can react with certain metals, such as aluminum, to generate flammable hydrogen gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear

NFPA Health Hazard 0 Flammability 0 Stability 0 Physical and chemical

hazards -

HMIS Health Hazard 3 Flammability 0 Physical Hazard 1 Personal protection -

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation

**Environmental precautions**Try to prevent the material from entering drains or water courses

**Methods for Containment** Prevent further leakage or spillage if safe to do so

Methods for cleaning up

Stop spill or leak if it can be done safely. Contain spill to smallest possible area. Large spills should be recovered for disposal. Waste materials should be disposed of in accordance with all local, state and federal regulations. Transfer contaminated absorbent, soil and other materials to containers for disposal

### 7. HANDLING AND STORAGE

Advice on safe handling

KEEP OUT OF REACH OF CHILDREN Open containers slowly to relieve any pressure

Empty containers may contain product residue.

All safety precautions taken when handling this product should also be taken when handling

empty drums and containers Keep container tightly closed when not in use

Technical measures/Storage

conditions

Store in a cool, dry area away from combustibles and reactive chemicals. Store away from

sources of ignition. Do not store at temperatures above 120 ° F.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** 

Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide		TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		_	Ceiling: 2 mg/m <sup>3</sup>

**Engineering Measures** 

Showers

**Evewash stations** Ventilation systems

**Personal Protective Equipment Institutional Environment** 

**Eye/Face Protection** Safety glasses are suggested when using this product in heavy use and institutional

environments.

**Consumer Environments** Care should be taken to avoid Eye contact.

Rubber gloves Skin and body protection

Unnecessary in open institutional enviroment. Respiratory protection

Practice good personal hygiene. Wash after handling. Hygiene measures

Personal Protective Equipment Industrial Environment

Splash-proof chemical goggles or face shield. **Eye/Face Protection** 

Impervious rubber, alkali-proof protecetive gloves Impervious rubber boots & apron. Skin and body protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Practice good personal hygiene. Wash after handling. Shower at end of work period Hygiene measures

Practice good personal hygiene. Wash after handling

### 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

**Physical state** liquid

**Appearance** Thin Liquid Odor Surfactant

Odor Threshold Color green No information available

**Property Values** Remarks Methods Hq

Melting/freezing point

**Freezing Point** 

12.0-13.5 No information available No information available

No information available

Boiling point/boiling range 212 °F No information available

Flash Point

Evaporation rate

\*1
No information available
Flammability (solid, gas)
No information available
Flammability Limits in Air
No information available
No information available

upper flammability limit lower flammability limit

**Explosion Limits** 

upper lower

Vapor pressureSame as waterNo information availableVapor densityNo information availableSpecific Gravity1.06-1.07No information availableWater solubilitycompletely solubleNo information available

Solubility in other solvents

Partition coefficient: n-octanol/water

Autoignition temperature

No information available
No information available
No information available
No information available

Viscosity, kinematic Viscosity, dynamic

**Explosive properties**Oxidizing Properties
No information available
No information available

9.2 Other information

Softening point
Molecular Weight
VOC Content(%)
Density VALUE
No information available

# 10. STABILITY AND REACTIVITY

No information available

**Stability** Stable

Incompatible products Strong Oxidizers and Acids

Conditions to Avoid Extreme Temperatures

Hazardous Decomposition Products None known based on information supplied

Hazardous Polymerization Hazardous polymerization does not occur

# 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide		1350 mg/kg (Rabbit)	

# **Chronic toxicity**

**Chronic toxicity** Prolonged contact with dilute solutions or dust has a destructive effect upon tissue.

41764-1 - Swisher Bathroom Kleen Revision Date 29-Nov-2011

Target Organ Effects None known.

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

This product has not been evaluated for ecotoxicity. As with any industrial chemical, exposure to the environment should be prevented and minimized wherever possible.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Sodium hydroxide		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements

Contaminated packaging Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic Corrosive

# 14. TRANSPORT INFORMATION

Note UN1760, Corrosive Liquid, n.o.s., (contains sodium hydroxide), 8, PG III, LTD QTY

**Dot** Regulated

Proper shipping name UN1760, Corrosive Liquid, n.o.s., (contains sodium hydroxide), 8, PG III, LTD QTY

Hazard class 8
UN/ID No UN1760
Packing Group III

**TDG** Not regulated

MEX Not regulated

ICAO Not regulated

ICAO/IATA Not regulated

IMDG / IMO Not regulated

RID Not regulated

ADR/RID Not regulated

ADN Not regulated

# 15. REGULATORY INFORMATION

International	Inventories
---------------	-------------

TSCA	TSCA
DSL	Complies
NDSL	Complies
EINECS	Complies
ELINCS	- '
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			X

### CFRCI A

Any components listed below have been assigned a reportable quantity (RQ) by the Federal EPA. Release of the product into the environment that exceed the RQ for a particular component must be reported to the National Response Center at 1-800-424-8802. COMPONENT: Sodium Hydroxide 1000 lbs

	Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ī	Sodium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

# **U.S. State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

Revision Date 29-Nov-2011

\_\_\_\_\_

# U.S. State Right-to-Know Regulations

# **International Regulations**

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

# **16. OTHER INFORMATION**

Prepared By Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

**Issuing date** 10-Oct-2011 **Revision Date** 29-Nov-2011

Revision Note No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

**End of Material Safety Data Sheet**