



# Material Safety Data Sheet

Issuing date 28-Oct-2011

Revision Date 28-Oct-2011

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** Swisher Floor Sealer

**Product code** 41775-5  
**Recommended Use** Floor Sealer

### **Distributor**

Swisher Hygiene Inc.  
4725 Piedmont Row Drive,  
Suite 400,  
Charlotte, NC 28210

**Chemical Emergency Phone Number** 800-424-9300 (Chemtrec)

**Company Emergency Phone Number** 800-444-4138

## 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health.

**Appearance** Thin Emulsion

**Physical state** liquid.

**Odor** Acrylic

### **Potential Health Effects**

#### **Acute toxicity**

**Eyes** Irritating to eyes  
**Skin** Contact may cause dryness.  
**Inhalation** No known effect based on information supplied  
**Ingestion** Ingesting large amounts may cause tissue damage.

**Chronic Effects** No known effect based on information supplied

**Aggravated Medical Conditions** None known.

**Environmental hazard** See Section 12 for additional Ecological Information

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
Diethylene glycol monomethyl ether	111-77-3	< 4

## 4. FIRST AID MEASURES

<b>Eye contact</b>	Flush with large amounts of running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.
<b>Skin contact</b>	Wash with water after exposure.
<b>Inhalation</b>	Move to fresh air
<b>Ingestion</b>	Drink large amounts of water, Do not induce vomiting. Consult physician immediately for additional advice and treatment.
<b>Notes to physician</b>	Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

<b>Flammable Properties</b>	Not flammable			
<b>Flash point</b>	Not determined.			
<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment			
<b>Explosion Data</b>				
<b>Sensitivity to Mechanical Impact</b>	none			
<b>Sensitivity to Static Discharge</b>	none			
<b>Protective Equipment and Precautions for Firefighters</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear			
<b>NFPA</b>	<b>Health Hazard</b> 1	<b>Flammability</b> 0	<b>Stability</b> 0	<b>Physical and chemical hazards</b> -
<b>HMIS</b>	<b>Health Hazard</b> 1	<b>Flammability</b> 0	<b>Physical Hazard</b> 0	<b>Personal protection</b> -

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Ensure adequate ventilation
<b>Environmental precautions</b>	Try to prevent the material from entering drains or water courses
<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so
<b>Methods for cleaning up</b>	Stop spill or leak if it can be done safely. Contain spill to smallest possible area. Large spills should be recovered for disposal.

## 7. HANDLING AND STORAGE

<b>Advice on safe handling</b>	KEEP OUT OF REACH OF CHILDREN CAUTION Open containers slowly to relieve any pressure Empty containers may contain product residue. All safety precautions taken when handling this product should also be taken when handling empty drums and containers Keep container closed when not in use
<b>Technical measures/Storage conditions</b>	Store in a cool, dry area away from combustibles and reactive chemicals. Store away from sources of ignition. Do not store at temperatures above 120 ° F.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Exposure Guidelines</b>	Review Section 3 & 4 for Exposure Guidelines.
----------------------------	---

**Engineering Measures**  
Showers  
Eyewash stations  
Ventilation systems

**Personal Protective Equipment Institutional Environment**

**Eye/Face Protection** Safety glasses are suggested when using this product in heavy use and institutional environments.  
**Consumer Environments** Care should be taken to avoid Eye contact.  
**Skin and body protection** Rubber gloves  
**Respiratory protection** Unnecessary in open institutional environment.  
**Hygiene measures** Practice good personal hygiene. Wash after handling.

**Personal Protective Equipment Industrial Environment**

**Eye/Face Protection** Splash-proof chemical goggles or face shield.  
**Skin and body protection** Impervious rubber, alkali-proof protective gloves Impervious rubber boots & apron.  
**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.  
**Hygiene measures** Practice good personal hygiene. Wash after handling. Shower at end of work period  
Practice good personal hygiene. Wash after handling

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**9.1 Information on basic physical and chemical properties**

<b>Physical state</b>	liquid	<b>Odor</b>	Acrylic
<b>Appearance</b>	Thin Emulsion	<b>Odor Threshold</b>	No information available
<b>Color</b>	Milky White		
<b>Property</b>	<b>Values</b>	<b>Remarks</b>	<b>Methods</b>
<b>pH</b>	8.2-8.8	No information available	
<b>Melting/freezing point</b>		No information available	
<b>Freezing Point</b>	32	Freezing point °F (°F) DEGREES	
No information available		<b>Boiling point/boiling range</b>	212 °F
No information available		<b>Flash Point</b>	
No information available		<b>Evaporation rate</b>	
Same as water		<b>Flammability (solid, gas)</b>	
No information available		<b>Flammability Limits in Air</b>	
No information available		upper flammability limit	
		lower flammability limit	
		<b>Explosion Limits</b>	
		upper	
		lower	
No information available		<b>Vapor pressure</b>	
No information available		<b>Vapor density</b>	
No information available		<b>Specific Gravity</b>	1.01-1.02
No information available		<b>Water solubility</b>	Dispersible
		<b>Solubility in other solvents</b>	

No information available

No information available

No information available

No information available

No information available

**Explosive properties  
Oxidizing Properties**

No information available

No information available

**Partition coefficient:  
n-octanol/water  
Autoignition  
temperature  
Decomposition  
temperature  
Viscosity, kinematic  
Viscosity, dynamic****9.2 Other information****Softening point**

No information available

**Molecular Weight**

No information available

**VOC Content(%)**

No information available

**Density VALUE**

No information available

**Bulk Density VALUE**

No information available

**10. STABILITY AND REACTIVITY****Stability**

Stable

**Incompatible products**

Strong Oxidizers and Acids

**Conditions to Avoid**

Extreme Temperatures

**Hazardous Decomposition Products** None known based on information supplied**Hazardous Polymerization**

Hazardous polymerization does not occur

**11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product Information**

Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diethylene glycol monomethyl ether	4 mL/kg ( Rat )	2500 µL/kg ( Rabbit )	

**Chronic toxicity****Target Organ Effects**

None known.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates

Diethylene glycol monomethyl ether	500: 72 h Desmodemus subspicatus mg/L EC50	5741: 96 h Pimephales promelas mg/L LC50 7500: 96 h Lepomis macrochirus mg/L LC50 7500: 96 h Lepomis macrochirus mg/L LC50 static	EC50 > 10000 mg/L 17 h	>500: 48 h Daphnia magna mg/L EC50
------------------------------------	--	---	------------------------	------------------------------------

Chemical Name	log Pow
Diethylene glycol monomethyl ether	0

### 13. DISPOSAL CONSIDERATIONS

#### Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

#### Contaminated packaging

Do not re-use empty containers

### 14. TRANSPORT INFORMATION

<b>Note</b>	Floor Polishing/Wax, Not regulated
<b>Dot</b>	Not regulated
<b>Proper shipping name</b>	Floor Polishing/Wax, Not regulated
<b>TDG</b>	Not regulated
<b>MEX</b>	Not regulated
<b>ICAO</b>	Not regulated
<b>ICAO/IATA</b>	Not regulated
<b>IMDG / IMO</b>	Not regulated
<b>RID</b>	Not regulated
<b>ADR/RID</b>	Not regulated
<b>ADN</b>	Not regulated

### 15. REGULATORY INFORMATION

#### International Inventories

TSCA	TSCA
DSL	Complies
NDSL	Complies
EINECS	Complies
ELINCS	-
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

## **U.S. Federal Regulations**

### **SARA 313**

SARA 313: This product contains one of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372. Diethylene Glycol Monomethyl Ether, CAS No.111-77-7

### **SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	no
<b>Chronic Health Hazard</b>	no
<b>Fire Hazard</b>	no
<b>Sudden Release of Pressure Hazard</b>	no
<b>Reactive Hazard</b>	no

### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **U.S. State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## **U.S. State Right-to-Know Regulations**

## **International Regulations**

### **Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## **16. OTHER INFORMATION**

---

<b>Prepared By</b>	Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210
<b>Issuing date</b>	28-Oct-2011
<b>Revision Date</b>	28-Oct-2011
<b>Revision Note</b>	No information available
<b>Disclaimer</b>	

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

**End of Material Safety Data Sheet**