



Material Safety Data Sheet

Issuing date 11-Nov-2011

Revision Date 28-Nov-2011

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Mint Kleen Disinfectant

Product code 41761-1
UN/ID No NA1993

Recommended Use Disinfectant

EPA Registration Number 9367-45-72802

Distributor

Swisher Hygiene Inc.
4725 Piedmont Row Drive,
Suite 400,
Charlotte, NC 28210

Chemical Emergency Phone Number 800-424-9300 (Chemtrec)

Company Emergency Phone Number 800-444-4138

2. HAZARDS IDENTIFICATION

Emergency Overview

This product contains substances which at their given concentration, are considered to be hazardous to health.

Appearance Thin Liquid

Physical state liquid.

Odor Mint Wintergreen

Potential Health Effects

Acute toxicity

Eyes

Contact irritation and tearing.

Skin

Prolonged contact may cause irritation of the skin.

Inhalation

May cause respiratory irritation.

Ingestion

Gastrointestinal irritation, nausea and headache.

Chronic Effects No known effect based on information supplied

Aggravated Medical Conditions Pre-existing skin disorders, eye problems or impaired respiratory function.

Environmental hazard See Section 12 for additional Ecological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
---------------	--------	----------

Ethyl alcohol	64-17-5	< 12
---------------	---------	------

4. FIRST AID MEASURES

Eye contact	Flush with large amounts of running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.
Skin contact	Wash with soap and water after exposure. If irritation persists get medical attention.
Inhalation	Move to fresh air. Get medical attention if irritation persists.
Ingestion	Offer plenty of water. Do not induce vomiting. Consult physician or poison control center immediately for additional advice and treatment.
Notes to physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties	FLAMMABLE			
Flash point	Flash point 120 °F			
Suitable Extinguishing Media	Water Fog, Foam, CO2 or Dry Chemical.			
Explosion Data				
Sensitivity to Mechanical Impact	none			
Sensitivity to Static Discharge	none			
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear			
NFPA	Health Hazard 1	Flammability 2	Stability 0	Physical and chemical hazards -
HMIS	Health Hazard 1	Flammability 2	Physical Hazard 0	Personal protection -

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation
Environmental precautions	Try to prevent the material from entering drains or water courses
Methods for Containment	Prevent further leakage or spillage if safe to do so
Methods for cleaning up	Stop spill or leak if it can be done safely. Contain spill to smallest possible area. Large spills should be recovered for disposal. Waste materials should be disposed of in accordance with all local, state and federal regulations. Transfer contaminated absorbent, soil and other materials to containers for disposal

7. HANDLING AND STORAGE

Advice on safe handling	As with any chemical, handle the product in a manner that minimizes exposure to practicable levels. Prior to handling, consult Section 8 of this MSDS to evaluate personal protective equipment needs. Open containers slowly to relieve any pressure. Follow all other standard industrial hygiene practices. Empty containers may contain product residue. All safety precautions taken when handling this product should also be taken when handling empty containers.
--------------------------------	---

Technical measures/Storage conditions Store in a cool, dry area away from combustibles and reactive chemicals. Store away from sources of ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Engineering Measures Showers
Eyewash stations
Ventilation systems

Personal Protective Equipment Institutional Environment

Eye/Face Protection Safety glasses are suggested when using this product in heavy use and institutional environments.
Consumer Environments Care should be taken to avoid Eye contact.
Skin and body protection Rubber gloves
Respiratory protection Unnecessary in open institutional enviroment.
Hygiene measures Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

Eye/Face Protection Splash-proof chemical goggles or face shield.
Skin and body protection Impervious rubber, alkali-proof protective gloves Impervious rubber boots & apron.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period
 Practice good personal hygiene. Wash after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	liquid	Odor	Mint Wintergreen
Appearance	Thin Liquid	Odor Threshold	No information available
Color	green		
Property	Values	Remarks	Methods
pH	7.3-0.3	No information available	
Melting/freezing point		Liquid	
Freezing Point		No information available	
Boiling point/boiling range	212 °F	No information available	
Flash Point	120 °F	No information available	
Evaporation rate	1.6	No information available	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
upper flammability limit			
lower flammability limit			
Explosion Limits			
upper			
lower			
Vapor pressure		Same as water	

Vapor density		Same as water
Specific Gravity	0.99	No information available
Water solubility	completely soluble	No information available
Solubility in other solvents		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, kinematic		No information available
Viscosity, dynamic		No information available
Explosive properties	No information available	
Oxidizing Properties	No information available	

9.2 Other information

Softening point	No information available
Molecular Weight	mixture/mélange/mixtura
VOC Content(%)	No information available
Density VALUE	No information available
Bulk Density VALUE	No information available

10. STABILITY AND REACTIVITY

Stability	Stable
Incompatible products	Strong Oxidizers
Conditions to Avoid	None known based on information supplied
Hazardous Decomposition Products	None known based on information supplied
Hazardous Polymerization	Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	7060 mg/kg (Rat)		124.7 mg/L (Rat) 4 h

Chronic toxicity

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	Group 1	Known	X

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates

Ethyl alcohol		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50
---------------	--	--	---	---

Chemical Name	log Pow
Ethyl alcohol	0

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

Contaminated packaging

Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Ethyl alcohol	Toxic Ignitable

14. TRANSPORT INFORMATION

Note

NA 1993, Combustible Liquids, N.O.S. (Contains Ethyl Alcohol), PG II

Dot

Regulated

Proper shipping name

NA 1993, Combustible Liquids, N.O.S. (Contains Ethyl Alcohol), PG II

UN/ID No

NA1993

Packing Group

II

TDG

Not regulated

MEX

Not regulated

ICAO

Not regulated

ICAO/IATA

Not regulated

IMDG / IMO

Not regulated

RID

Not regulated

ADR/RID

Not regulated

ADN

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA

TSCA

DSL

Complies

NDSL

Complies

EINECS

Complies

ELINCS

-

ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product contains one of the chemicals subject to regulation by Section 311 of the Clean Water Act and the Oil Pollution Act. Releases of the product into or leading to surface waters must be reported to the National Response Center at 1-800-424-8802.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

Chemical Name	California Prop. 65
Ethyl alcohol	Carcinogen Developmental

U.S. State Right-to-Know Regulations

International Regulations

Chemical Name	Carcinogen Status	Exposure Limits
Ethyl alcohol		Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Prepared By	Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210
Issuing date	11-Nov-2011
Revision Date	28-Nov-2011
Revision Note	No information available
Disclaimer	

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet