

Material Safety Data Sheet

Issuing date 02-Nov-2011 Revision Date 28-Nov-2011 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Power Foam Plus

Product code 40051-1

Reference number(s) 40051-2.5/40051-55

UN/ID No UN1719

Recommended Use Meat Room Cleaner

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive,

Suite 400,

Charlotte, NC 28210

Chemical Emergency Phone

Number

800-424-9300 (Chemtrec)

Company Emergency Phone

Number

800-444-4138

2. HAZARDS IDENTIFICATION

Emergency Overview

This product contains substances which at their given concentration, are considered to be hazardous to health.

Appearance Clear Thin Liquid Physical state liquid. Odor Pleasant, Mild

Potential Health Effects

Acute toxicity

Eyes Causes burns Skin Causes burns

InhalationNo known effect based on information suppliedIngestionNo known effect based on information supplied

Chronic Effects No known effect based on information supplied

Aggravated Medical Conditions None known.

Environmental hazard See Section 12 for additional Ecological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name CAS-No Weight %

Potassium I	nydroxide	1310-58-3	< 5
Dipropylene glycol r	nonomethyl ether	34590-94-8	< 5
Tetrasodiu	m EDTA	64-02-8	0

4. FIRST AID MEASURES

Eye contact Flush with flowing water for 15 minutes & see physician.

Skin contact Wash with soap & water for 15 minutes. See physician if burning persists.

Inhalation Move to fresh air

Ingestion Give milk or water to dilute material, and/or raw egg whites. DO NOT induce vomiting.

CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE

ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Notes to physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties Not flammable

Flash point none

involved.

Hazardous Combustion Products If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrous oxides.

Explosion Data

Sensitivity to Mechanical Impact none
Sensitivity to Static Discharge none

Specific hazards arising from the

chemical

Use water spray to cool adjacent fire exposed

containers. Product will not burn but may splatter if temperature exceeds boiling point.

Protective Equipment and Precautions for Firefighters

Avoid exposure to fumes or vapors. Wear self-contained positive pressurized breathing

apparatus MSHA/NIOSH approved or equivalent to maintain TLV.

NFPA Health Hazard 0 Flammability 0 Stability 0 Physical and chemical

hazards -

HMIS Health Hazard 3 Flammability 0 Physical Hazard 0 Personal protection C

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation

Environmental precautionsTry to prevent the material from entering drains or water courses

Methods for Containment Prevent further leakage or spillage if safe to do so

Methods for cleaning up

Use mop or absorbent material to clean spill. Floors may be slippery. Use care to avoid

falls.

7. HANDLING AND STORAGE

Advice on safe handling KEEP OUT OF REACH OF CHILDREN DANGER Do not get in eyes, on skin or on clothing

Remove and wash contaminated clothing before re-use

Technical measures/Storage

conditions

Avoid all contact. Store upright in original closed container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	2 mg/m³	2 mg/m³	Ceiling: 2 mg/m ³
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 600 mg/m ³ S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m³ STEL: 150 ppm STEL: 900 mg/m³

Engineering Measures Showers

Eyewash stations Ventilation systems

Personal Protective Equipment Institutional Environment

Eye/Face Protection Safety glasses are suggested when using this product in heavy use and institutional

environments.

Consumer Environments Care should be taken to avoid Eye contact.

Skin and body protection Rubber gloves

Respiratory protection Hygiene measuresUnnecessary in open institutional enviroment.

Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protectionImpervious rubber, alkali-proof protective gloves Impervious rubber boots & apron. **Respiratory protection**If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

required for high airborne contaminant concentrations. Respiratory protection mu provided in accordance with current local regulations.

Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period

Practice good personal hygiene. Wash after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state liquid

AppearanceClear Thin LiquidOdorPleasant Mild

ColorAmberOdor ThresholdNo information available

Remarks Methods Property Values pН 13.0 No information available No information available Melting/freezing point **Freezing Point** No information available Boiling point/boiling range 212 °F No information available **Flash Point** No information available GT 1.00 **Evaporation rate** No information available Flammability (solid, gas) No information available Flammability Limits in Air No information available upper flammability limit

lower flammability limit

Explosion Limits

upper lower

Vapor pressure17No information availableVapor density0.62No information availableSpecific Gravity1.05No information availableWater solubilitycompletely solubleNo information availableSolubility in other solventsNo information available

Solubility in other solventsNo information availablePartition coefficient: n-octanol/waterNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information available

Viscosity, dynamic

Explosive properties No information available Oxidizing Properties No information available

9.2 Other information

Softening pointNo information availableMolecular WeightNo information availableVOC Content(%)No information available

Density VALUE 8.75

Bulk Density VALUE No information available

10. STABILITY AND REACTIVITY

Stability Stable, protect from freezing.

Incompatible products Strong Oxidizing, reducing agents; Cationics.

Conditions to Avoid None known based on information supplied

Hazardous Decomposition Products If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrous oxides.

Hazardous Polymerization Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium hydroxide	214 mg/kg (Rat)		
Dipropylene glycol monomethyl ether	5230 mg/kg (Rat)	9500 mg/kg (Rabbit)	
Tetrasodium EDTA	10 g/kg(Rat)		

Chronic toxicity

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Potassium hydroxide		80: 96 h Gambusia affinis mg/L LC50 static		
Dipropylene glycol monomethyl ether		10000: 96 h Pimephales promelas mg/L LC50 static		
Tetrasodium EDTA	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static		

Chemical Name	log Pow	
Potassium hydroxide	0.83	

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements

Contaminated packaging Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Potassium hydroxide	Toxic Corrosive

14. TRANSPORT INFORMATION

Note UN1719, Caustic alkali liquids, n.o.s. (contains potassium hydroxide), 8, PG II

Dot Regulated

Proper shipping name UN1719, Caustic alkali liquids, n.o.s. (contains potassium hydroxide), 8, PG II

Hazard class 8
UN/ID No UN1719
Packing Group II

TDG Not regulated

MEX Not regulated

ICAO Not regulated

ICAO/IATA Not regulated

IMDG / IMO Not regulated

RID Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA TSCA DSL Complies **NDSL** Complies **EINECS** Complies **ELINCS ENCS** Complies **IECSC** Complies Complies **KECL** Complies **PICCS AICS** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

SARA TITLE III (EPCRA) NOTIFICATION: GLYCOL ETHERS

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT (CERCLA) NOTIFICATION:

POTASSIUM HYDROXIDE, GLYCOL ETHERS

For more information, consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68.

SARA 311/312 Hazard Categories

Acute Health HazardnoChronic Health HazardnoFire HazardnoSudden Release of Pressure HazardnoReactive Hazardno

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb			Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Regulations

Chemical Name	Carcinogen Status	Exposure Limits
Dipropylene glycol monomethyl ether		Mexico: TWA 100 ppm Mexico: TWA 60
		mg/m³
		Mexico: STEL 150 ppm Mexico: STEL 900
		mg/m³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Prepared By Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

Issuing date 02-Nov-2011 Revision Date 28-Nov-2011

Revision Note No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet