

Material Safety Data Sheet

Issuing date 13-Oct-2011 Revision Date 28-Nov-2011 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Select All Purpose Degreaser

Product code 41753-1 UN/ID No NA1903

Recommended Use Degreaser

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive, Suite 400,

Charlotte, NC 28210

Chemical Emergency Phone

Number

800-424-9300 (Chemtrec)

Company Emergency Phone

Number

800-444-4138

2. HAZARDS IDENTIFICATION

Emergency Overview

This product contains substances which at their given concentration, are considered to be hazardous to health.

Appearance Thin Liquid Physical state liquid. Odor Butyl Odor

Potential Health Effects

Acute toxicity

Eyes Irritation or burns

Skin Contact may cause irritation and dryness.

Inhalation Inhalation of mists can cause irritation to the nose, throat & respiratory tract.

Ingestion Ingesting large amounts may cause tissue damage.

Chronic Effects No known effect based on information supplied

Aggravated Medical Conditions None known.

Environmental hazard See Section 12 for additional Ecological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
Glycol	107-21-1	< 5
2-Butoxyethanol	111-76-2	< 2

Sodium hydroxide	1310-73-2	< 5
Sodium metasilicate	6834-92-0	< 5

4. FIRST AID MEASURES

Eye contact Flush with large amounts of running water for at least 15 minutes while holding upper and

lower lids open. If irritation persists get medical attention immediately.

Skin contact Wash with soap and water after exposure.

Inhalation Move to fresh air. Get medical attention if irritation persists.

Ingestion Drink large amounts of water, DO NOT INDUCE VOMITING. Consult physician immediately

for additional advice and treatment

Notes to physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties Not flammable

Flash point none

surrounding environment

Explosion Data

Sensitivity to Mechanical Impact none Sensitivity to Static Discharge none

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear

NFPA Health Hazard 1 Flammability 0 Stability 0 Physical and chemical

hazards -

HMIS Health Hazard 1 Flammability 0 Physical Hazard 0 Personal protection -

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation

Environmental precautions Try to prevent the material from entering drains or water courses

Methods for Containment Transfer contaminated absorbent, soil and other materials to containers for disposal

Methods for cleaning up Stop spill or leak if it can be done safely. Contain spill to smallest possible area. Large spills

should be recovered for disposal.

7. HANDLING AND STORAGE

Advice on safe handling KEEP OUT OF REACH OF CHILDREN Open containers slowly to relieve any pressure

Empty containers may contain product residue.

All safety precautions taken when handling this product should also be taken when handling

empty drums and containers Keep container closed when not in use

Technical measures/Storage

conditions

Store in a cool, dry area away from combustibles and reactive chemicals. Store away from

sources of ignition. Do not store at temperatures above 120 ° F.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Sodium hydroxide 1310-73-2		TWA: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Sodium metasilicate 6834-92-0		2mg/m³	

Engineering Measures Showers

Eyewash stations Ventilation systems

Personal Protective Equipment Institutional Environment

Eye/Face Protection Safety glasses are suggested when using this product in heavy use and institutional

environments.

Consumer Environments Care should be taken to avoid Eye contact.

Skin and body protection Rubber gloves

Respiratory protection Unnecessary in open institutional enviroment.

Hygiene measures Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protectionImpervious rubber, alkali-proof protective gloves Impervious rubber boots & apron. **Respiratory protection**If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period

Practice good personal hygiene. Wash after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state liquid

AppearanceThin LiquidOdorButyl Odor

Color purple Odor Threshold No information available

PropertyValuesRemarksMethodspH12-13No information availableMelting/freezing pointNo information available

Freezing Point 32 Freezing point ° (°F) DEGREES

No information available Boiling point/boiling 212 °F

No information available

No information available

range
Flash Point
Evaporation rate

Same as water Flammability (solid,

yas)

No information available Flammability Limits in

Air

No information available upper flammability

limit

lower flammability

limit

Explosion Limits

upper lower

Vapor pressure Vapor density

Specific Gravity 1.04

Water solubility completely soluble

Solubility in other

solvents

No information available

Partition coefficient:
n-octanol/water

No information available

Autoignition

temperature

Decomposition
temperature

No information available

Viscosity, kinematic

Viscosity, dynamic

Explosive properties No information available Oxidizing Properties No information available

9.2 Other information

No information available

Softening point
Molecular Weight
VOC Content(%)
Density VALUE
No information available

10. STABILITY AND REACTIVITY

Stability Stable

Incompatible products Strong Oxidizers and Acids

Conditions to Avoid Extreme Temperatures

Hazardous Decomposition Products None known based on information supplied

Hazardous Polymerization Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Glycol	4000 mg/kg (Rat)	9530 μL/kg(Rabbit)	
2-Butoxyethanol	470 mg/kg (Rat)	220 mg/kg (Rabbit) 2270 mg/kg (Rat)	2.21 mg/L (Rat)4 h 450 ppm (Rat)4 h
Sodium hydroxide		1350 mg/kg (Rabbit)	
Sodium metasilicate	600 mg/kg (Rat)		

Chronic toxicity

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		

Target Organ Effects

None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Glycol	6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50	14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 41000: 96 h Oncorhynchus mykiss mg/L LC50	•	46300: 48 h Daphnia magna mg/L EC50
2-Butoxyethanol		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 >1000: 48 h Daphnia magna mg/L EC50
Sodium hydroxide		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Sodium metasilicate		210: 96 h Brachydanio rerio mg/L LC50 210: 96 h Brachydanio rerio mg/L LC50 semi-static		216: 96 h Daphnia magna mg/L EC50

Chemical Name	log Pow
Glycol	0
2-Butoxyethanol	0.81

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

Contaminated packaging

Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic Corrosive

14. TRANSPORT INFORMATION

Note

NA1903, Disinfectant, corrosive, liquids, (contains quaternary ammonium compounds), 8, PG III, LTD QTY

Dot Regulated

Proper shipping name NA1903, Disinfectant, corrosive, liquids, (contains quaternary ammonium compounds), 8,

PG III, LTD QTY

Hazard class 8
UN/ID No NA1903
Packing Group III

TDG Not regulated

MEX Not regulated

ICAO Not regulated

ICAO/IATA Not regulated

IMDG / IMO Not regulated

RID Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA TSCA Complies DSL Complies **NDSL EINECS** Complies **ELINCS ENCS** Complies Complies **IECSC** Complies **KECL PICCS** Complies **AICS** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

no
no
no
no
no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			Χ

CERCLA

Any components listed below have been assigned a reportable quantity (RQ) by the Federal EPA. Release of the product into the environment that exceed the RQ for a particular component must be reported to the National Response Center at 1-800-424-8802. COMPONENT: Sodium Hydroxide 1000 lbs

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Glycol	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Regulations

Chemical Name	Carcinogen Status	Exposure Limits
2-Butoxyethanol		Mexico: TWA 26 ppm Mexico: TWA 120
		mg/m³
		Mexico: STEL 75 ppm Mexico: STEL 360
		mg/m³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Chemical Name	NPRI
2-Butoxyethanol	X

16. OTHER INFORMATION

Prepared By Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

Issuing date 13-Oct-2011 **Revision Date** 28-Nov-2011

Revision Note No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

Revision	Date	28-Nov-2011

End of Material Safety Data Sheet