SWISHER

Material Safety Data Sheet

Issuing date 26-Aug-2011 Revision Date 17-Jan-2012 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Select Delimer

Product code 41733-1 UN/ID No UN3264

Recommended Use Concentrated Lime Scale Remover

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive, Suite 400,

Charlotte, NC 28210

Chemical Emergency Phone

Number

800-424-9300 (Chemtrec)

Company Emergency Phone

Number

800-444-4138

2. HAZARDS IDENTIFICATION

Emergency Overview

This product contains substances which at their given concentration, are considered to be hazardous to health.

Appearance Clear Thin Liquid Physical state liquid. Odor Characteristic

Potential Health Effects

Acute toxicity

EyesSevere Burns.SkinSevere burns.InhalationCauses burnsIngestionSevere burns.

Chronic Effects No known effect based on information supplied

Aggravated Medical Conditions None known.

Environmental hazard See Section 12 for additional Ecological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
Hydrochloric acid	7647-01-0	2%-8%
Phosphoric acid	7664-38-2	< 17%

Revision Date 17-Jan-2012 41733-1 - Swisher Select Delimer

4. FIRST AID MEASURES

Flush with flowing water for 15 minutes & see physician. Eye contact

Skin contact Wash with soap & water. See physician if irritation persists.

Inhalation Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get

medical help.

Give milk or water to dilute material; DO NOT induce vomiting. Avoid alcohol. CALL A Ingestion

PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY; NEVER GIVE ANYTHING

BY MOUTH TO AN UNCONSCIOUS PERSON.

Notes to physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties Not flammable

Flash point none

Use water spray or fog, foam, dry chemical, carbon dioxide, alcohol foam, if product is **Suitable Extinguishing Media**

Hazardous Combustion Products Hydrogen gas in contact with some metals.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

none none

Specific hazards arising from the

chemical

May generate hydrogen gas in contact with some metals. Use water spray to cool adjacent

fire exposed containers. Product will not burn but may splatter if temperature exceeds

boiling point.

Protective Equipment and

Precautions for Firefighters

Avoid exposure to fumes or vapors. Wear self-contained positive pressurized breathing

apparatus MSHA/NIOSH approved or equivalent to maintain TLV.

Health Hazard 0 Physical and chemical **NFPA** Flammability 0 Stability 0

hazards -

HMIS Health Hazard 3 Flammability 0 Physical Hazard 0 Personal protection C

6. ACCIDENTAL RELEASE MEASURES

Ensure adequate ventilation **Personal precautions**

Environmental precautions Try to prevent the material from entering drains or water courses

Neutralize with sodium bicarbonate **Methods for Containment**

Methods for cleaning up Mop up & flush to sewer with plenty of water. Floors may be slippery. Use care to avoid

falls.

7. HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN DANGER Do not contaminate water, food, or feed Advice on safe handling

Remove and wash contaminated clothing before re-use

Technical measures/Storage conditions

Avoid all contact. Store upright in original closed container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric acid		Ceiling: 5 ppm Ceiling: 7 mg/m ³	IDLH: 50 ppm
7647-01-0			Ceiling: 5 ppm Ceiling: 7 mg/m ³
Phosphoric acid	STEL: 3 mg/m ³	TWA: 1 mg/m ³	IDLH: 1000 mg/m ³
7664-38-2	TWA: 1 mg/m³ test	_	TWA: 1 mg/m ³
			STEL: 3 mg/m ³

Engineering Measures Showers

Eyewash stations Ventilation systems

Personal Protective Equipment Institutional Environment

Eye/Face Protection Safety glasses are suggested when using this product in heavy use and institutional

environments.

Consumer Environments Care should be taken to avoid Eye contact.

Skin and body protection Rubber gloves

Respiratory protection Unnecessary in open institutional enviroment.

Hygiene measures Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber, alkali-proof protecetive gloves Impervious rubber boots & apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period

Practice good personal hygiene. Wash after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state liquid

AppearanceClear Thin LiquidOdorCharacteristic

Colorlight greenOdor ThresholdNo information available

Remarks Methods Property Values pН 2.0 No information available Melting/freezing point No information available **Freezing Point** No information available 212 °F No information available Boiling point/boiling range **Flash Point** No information available No information available **Evaporation rate** GT 1.00 Flammability (solid, gas) No information available Flammability Limits in Air No information available

upper flammability limit lower flammability limit

Explosion Limits

upper

lower

41733-1 - Swisher Select Delimer

Vapor pressure17No information availableVapor density0.62No information availableSpecific Gravity1.14No information availableWater solubilitycompletely solubleNo information available

Water solubilitycompletely solubleNo information availableSolubility in other solventsNo information availablePartition coefficient: n-octanol/waterNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information available

Viscosity, dynamic

Explosive propertiesOxidizing Properties
No information available
No information available

9.2 Other information

Softening pointNo information availableMolecular WeightNo information availableVOC Content(%)No information available

Density VALUE 9.47

Bulk Density VALUE No information available

10. STABILITY AND REACTIVITY

Stability Stable

Incompatible products Strong oxidizing agents

Conditions to Avoid None known based on information supplied

Hazardous Decomposition Products Hydrogen gas in contact with some metals.

Hazardous Polymerization Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrochloric acid	700 mg/kg (Rat)	5010 mg/kg (Rabbit)	3124 ppm (Rat) 1 h
Phosphoric acid	1530 mg/kg (Rat)	2730 mg/kg (Rabbit)	850 mg/m³ (Rat) 1 h

Chronic toxicity

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrochloric acid		Group 3		

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Hydrochloric acid		282: 96 h Gambusia affinis mg/L LC50 static		
Phosphoric acid		3 - 3.5: 96 h Gambusia affinis mg/L LC50		4.6: 12 h Daphnia magna mg/L EC50

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements

Contaminated packaging Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Phosphoric acid	Corrosive

14. TRANSPORT INFORMATION

Note UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (contains phosphoric acid), 8, PG III

Dot Regulated

Proper shipping name UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (contains phosphoric acid), 8, PG III

Hazard class 8
UN/ID No UN3264
Packing Group III

TDG Not regulated

MEX Not regulated

ICAO Not regulated

ICAO/IATA Not regulated

IMDG / IMO Not regulated

RID Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA TSCA
DSL Complies
NDSL Complies
EINECS Complies

ELINCS -

ENCS Complies IECSC Complies

KECL Complies
PICCS Complies
AICS Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

SARA TITLE III (EPCRA) NOTIFICATION: PHOSPHORIC ACID [Reportable under section 313 and section 6607 of the Pollution Prevention Act]

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT (CERCLA) NOTIFICATION: PHOSPHORIC ACID For more information, consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric acid	5000 lb			Х
Phosphoric acid	5000 lb			Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrochloric acid	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ
Phosphoric acid	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Regulations

Chemical Name	Carcinogen Status	Exposure Limits
Phosphoric acid		Mexico: TWA 1 mg/m ³
· ·		Mexico: STEL 3 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Chemical Name	NPRI
Phosphoric acid	X

16. OTHER INFORMATION

Prepared By Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

Issuing date26-Aug-2011Revision Date17-Jan-2012

Revision Note No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet