



Material Safety Data Sheet

Issuing date 14-Oct-2011

Revision Date 28-Nov-2011

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Select Oven & Grill Cleaner
Product code 40033-1
UN/ID No UN1719
Recommended Use Oven & Grill Cleaner

Distributor
Swisher Hygiene Inc.
4725 Piedmont Row Drive,
Suite 400,
Charlotte, NC 28210

Chemical Emergency Phone Number 800-424-9300 (Chemtrec)

Company Emergency Phone Number 800-444-4138

2. HAZARDS IDENTIFICATION

Emergency Overview

This product contains substances which at their given concentration, are considered to be hazardous to health.

Appearance Clear Liquid **Physical state** liquid. **Odor** Characteristic

Potential Health Effects

Acute toxicity

Eyes Corrosive; Causes severe burns
Skin Corrosive; Causes severe burns
Inhalation Causes severe burns
Ingestion Corrosive; Causes severe burns

Chronic Effects No known effect based on information supplied

Aggravated Medical Conditions None known.

Environmental hazard See Section 12 for additional Ecological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
Sodium hydroxide	1310-73-2	<20
Ethanolamine	141-43-5	<2

Lauryldimethylamine oxide	1643-20-5	<5
---------------------------	-----------	----

4. FIRST AID MEASURES

Eye contact	Flush with flowing water for 15 minutes & see physician.
Skin contact	Wash with soap & water for 15 minutes. See physician if burning persists.
Inhalation	Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get medical help.
Ingestion	Give milk or water to dilute material; DO NOT induce vomiting. Avoid alcohol. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY; NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
Notes to physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not flammable
Flash point	none
Suitable Extinguishing Media	Use water spray or fog, foam, dry chemical, carbon dioxide, alcohol foam, if product is involved.
Hazardous Combustion Products	If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrous oxides.
Explosion Data	
Sensitivity to Mechanical Impact	none
Sensitivity to Static Discharge	none
Specific hazards arising from the chemical	Use water spray to cool adjacent fire exposed containers. Product will not burn but may splatter if temperature exceeds boiling point.
Protective Equipment and Precautions for Firefighters	Avoid exposure to fumes or vapors. Wear self-contained positive pressurized breathing apparatus MSHA/NIOSH approved or equivalent to maintain TLV.
NFPA	Health Hazard 0 Flammability 0 Stability 0 Physical and chemical hazards -
HMIS	Health Hazard 3 Flammability 0 Physical Hazard 0 Personal protection D

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation
Environmental precautions	Try to prevent the material from entering drains or water courses
Methods for Containment	Neutralize with dilute acid or sodium bicarbonate.
Methods for cleaning up	Mop up & flush to sewer with plenty of water. Floors may be slippery. Use care to avoid falls.

7. HANDLING AND STORAGE

Advice on safe handling	KEEP OUT OF REACH OF CHILDREN DANGER Do not get in eyes, on skin or on clothing Remove and wash contaminated clothing before re-use
--------------------------------	--

Technical measures/Storage conditions Avoid all contact. Store upright in original closed container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2		TWA: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m ³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³

Engineering Measures Showers
Eyewash stations
Ventilation systems

Personal Protective Equipment Institutional Environment

Eye/Face Protection Safety glasses are suggested when using this product in heavy use and institutional environments.

Consumer Environments Care should be taken to avoid Eye contact.

Skin and body protection Rubber gloves

Respiratory protection Unnecessary in open institutional environment.

Hygiene measures Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber, alkali-proof protective gloves Impervious rubber boots & apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period
Practice good personal hygiene. Wash after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	liquid		
Appearance	Clear Liquid	Odor	Characteristic
Color	red orange	Odor Threshold	No information available
Property	Values	Remarks	Methods
pH	13	No information available	
Melting/freezing point		No information available	
Freezing Point		No information available	
Boiling point/boiling range	212 °F	No information available	
Flash Point		No information available	
Evaporation rate	GT 1.00	No information available	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
upper flammability limit			
lower flammability limit			
Explosion Limits			
upper			

lower		
Vapor pressure	17	No information available
Vapor density	0.62	No information available
Specific Gravity	1.08	No information available
Water solubility	completely soluble	No information available
Solubility in other solvents		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, kinematic		No information available
Viscosity, dynamic		
Explosive properties	No information available	
Oxidizing Properties	No information available	

9.2 Other information

Softening point	No information available
Molecular Weight	No information available
VOC Content(%)	No information available
Density VALUE	9.01
Bulk Density VALUE	No information available

10. STABILITY AND REACTIVITY

Stability	Stable
Incompatible products	Strong oxidizing acids.
Conditions to Avoid	None known based on information supplied
Hazardous Decomposition Products	If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrous oxides.
Hazardous Polymerization	Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide		1350 mg/kg (Rabbit)	
Ethanolamine	1720 mg/kg (Rat)	1 mL/kg (Rabbit) 1025 mg/kg (Rabbit)	

Chronic toxicity

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Sodium hydroxide		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Ethanolamine	15: 72 h Desmodesmus subspicatus mg/L EC50	114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	EC50 = 110 mg/L 17 h EC50 = 12200 mg/L 2 h EC50 = 13.7 mg/L 30 min	65: 48 h Daphnia magna mg/L EC50

Chemical Name	log Pow
Ethanolamine	0

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

Contaminated packaging

Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic Corrosive

14. TRANSPORT INFORMATION

Note UN1719, Caustic alkali liquid, n.o.s., (contains sodium hydroxide), 8, PG II

Dot Regulated
Proper shipping name UN1719, Caustic alkali liquid, n.o.s., (contains sodium hydroxide), 8, PG II
Hazard class 8
UN/ID No UN1719
Packing Group II

TDG Not regulated

MEX Not regulated

ICAO Not regulated

ICAO/IATA Not regulated

IMDG / IMO Not regulated

RID Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	TSCA
DSL	Complies
NDSL	Complies
EINECS	Complies
ELINCS	-
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

SARA TITLE III (EPCRA) NOTIFICATION: Does not contain chemicals subject to the reporting requirements of Section 302, 304, or 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986.

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT (CERCLA) NOTIFICATION:
SODIUM HYDROXIDE

For more information, consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations**International Regulations**

Chemical Name	Carcinogen Status	Exposure Limits
Ethanolamine		Mexico: TWA 3 ppm Mexico: TWA 8 mg/m ³ Mexico: STEL 6 ppm Mexico: STEL 15 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Prepared By	Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210
Issuing date	14-Oct-2011
Revision Date	28-Nov-2011
Revision Note	No information available
Disclaimer	

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet