

Material Safety Data Sheet

Issuing date 10-Nov-2011 Revision Date 10-Nov-2011 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher Wasp & Hornet Killer

Product code 41815

Recommended Use Aerosol- Insect Killer

EPA Registration Number 706-109-72802

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive, Suite 400,

Charlotte, NC 28210

Chemical Emergency Phone

Number

800-424-9300 (Chemtrec)

Company Emergency Phone

Number

800-444-4138

2. HAZARDS IDENTIFICATION

Emergency Overview

Aerosol. Will be easily ignited by heat, spark or flames. CONTENTS UNDER PRESSURE.

Appearance No information available Physical state liquid. Odor Solvent

Potential Health Effects

Acute toxicity

Eyes Moderately irritating to the eyes

Skin HARMFUL IF ABSORBED THROUGH SKIN

InhalationIntentional misuse by concentrating and inhaling the product can be harmful or fatal.IngestionExposure by ingestion of an aerosol is unlikely. May cause delayed lung damage.

Components of the product may be absorbed into the body by ingestion.

Chronic Effects May cause delayed lung damage.

Aggravated Medical Conditions Discomfort in the chest. Corneal damage. Coughing. Skin irritation.

Environmental hazard See Section 12 for additional Ecological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
Carbon Dioxide	124-38-9	1-3

Isoparaffinic Hydrocarbon	64742-47-8	80-90
Isopropyl alcohol	67-63-0	8-10

4. FIRST AID MEASURES

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Skin contact Remove and isolate contaminated clothing and shoes. Wash off immediately with plenty of

water for at least 15 minutes. Get medical attention if irritation develops and persists.

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth

method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get

medical attention immediately.

Ingestion If material is ingested, immediately contact a poison control center. Do not induce vomiting

without advice from poison control center. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Notes to physician Symptoms may be delayed

5. FIRE-FIGHTING MEASURES

Flammable Properties FLAMMABLE

Flash point 53 °F 11.7 °C

Suitable Extinguishing Media Water Fog, Foam, CO2 or Dry Chemical Water

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge none none

Specific hazards arising from the

chemical

Heat may cause the containers to explode. Runoff to sewer may cause fire or explosion

hazard.

Protective Equipment and Precautions for Firefighters

In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up. Cool containers with flooding quantities of water until well after fire is out. Move containers from fire area if you can do so without risk. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If

not, withdraw and let fire burn out.

NFPA Health Hazard 0 Flammability 0 Stability 0 Physical and chemical

hazards -

HMIS Health Hazard 1 Flammability 3 Physical Hazard 0 Personal protection -

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation

Environmental precautionsTry to prevent the material from entering drains or water courses

Methods for Containment

Stop leak if you can do so without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk.

Methods for cleaning up

Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

7. HANDLING AND STORAGE

Advice on safe handling

Pressurized container: Do not pierce or burn, even after use. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke while using or until sprayed surface is thoroughly dry. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not re-use empty containers. Avoid contact with skin. Avoid prolonged exposure.

Technical measures/Storage conditions

Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Keep away from heat and sources of ignition. Avoid exposure to long periods of sunlight. Store in cool place. Keep in an area equipped with sprinklers. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Level 3 Aerosol.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon Dioxide	STEL: 30000 ppm	TWA: 5000 ppm TWA: 9000	IDLH: 40000 ppm
124-38-9	TWA: 5000 ppm	mg/m³	TWA: 5000 ppm TWA: 9000
			mg/m³
			STEL: 30000 ppm STEL: 54000
			mg/m³
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm TWA: 980 mg/m ³	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm		TWA: 400 ppm TWA: 980 mg/m ³
			STEL: 500 ppm STEL: 1225
			mg/m³

Engineering Measures Showers

Eyewash stations Ventilation systems

Personal Protective Equipment Institutional Environment

Eye/Face Protection Safety glasses are suggested when using this product in heavy use and institutional

environments.

Consumer Environments Care should be taken to avoid Eye contact.

Skin and body protection Rubber gloves

Respiratory protection Unnecessary in open institutional environment.

Hygiene measures Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protectionImpervious rubber, alkali-proof protective gloves Impervious rubber boots & apron. **Respiratory protection**If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period

Practice good personal hygiene. Wash after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state liquid

Appearance No information available Odor Solvent

Color No information available Odor Threshold No information available

Property Values Remarks Methods

pH No information available

Melting/freezing pointNo information availableFreezing PointNo information available

Boiling point/boiling range202.2 °C 395.6 °FNo information availableFlash Point11.7 °C 53 °FNo information availableEvaporation rateNo information availableFlammability (solid gas)No information available

Flammability (solid, gas)

Flammability Limits in Air

upper flammability limit

No information available

No information available

lower flammability limit

Explosion Limits

upper lower

Vapor pressure90-110No information availableVapor density0.8133No information availableSpecific Gravity0.8134No information availableWater solubilityPartiallyNo information availableSolubility in other solventsNo information available

Partition coefficient: n-octanol/waterNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information available

Viscosity, dynamic

Explosive propertiesOxidizing Properties
No information available
No information available

9.2 Other information

Softening pointNo information availableMolecular WeightNo information availableVOC Content(%)No information availableDensity VALUENo information availableBulk Density VALUENo information available

10. STABILITY AND REACTIVITY

Stability Risk of ignition.

Incompatible products None known based on information supplied

Conditions to Avoid Heat, flames and sparks

Hazardous Decomposition Products None known based on information supplied

Hazardous Polymerization Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isoparaffinic Hydrocarbon	5000 mg/kg (Rat)	2000 mg/kg (Rabbit)	5.2 mg/L (Rat) 4 h
Isopropyl alcohol	4396 mg/kg (Rat)	12800 mg/kg (Rat) 12870 mg/kg (Rabbit)	72.6 mg/L (Rat)4 h

Chronic toxicity

Chronic toxicity

May cause delayed lung damage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 1		X
		Group 3		

Target Organ Effects

None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components of this product have been identified as having potential environmental concerns.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Isoparaffinic Hydrocarbon		2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through		4720: 96 h Den-dronereides heteropoda mg/L LC50
Isopropyl alcohol	1000: 72 h Desmodesmus subspicatus mg/L EC50 1000: 96 h Desmodesmus subspicatus mg/L EC50	11130: 96 h Pimephales promelas mg/L LC50 static 9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50

Chemical Name	log Pow
Isopropyl alcohol	0.05

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.

Contaminated packaging

Do not re-use empty containers

US EPA Waste Number

D001: Waste Flammable material with a flash point <140 F

Chemical Name	California Hazardous Waste Status

Isopropyl alcohol	Toxic Ignitable

14. TRANSPORT INFORMATION

Note Consumer Commodity, ORM-D

Dot Regulated

Proper shipping name Consumer Commodity, ORM-D

TDG Not regulated

MEX Not regulated

ICAO Not regulated

ICAO/IATA Not regulated

IMDG / IMO Not regulated

RID Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA
DSL
Complies
NDSL
Complies
EINECS
Complies
ELINCS
ENCS
Complies

ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Isopropyl alcohol 67-63-0 - 1.0 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification)

SARA 311/312 Hazard Categories

Acute Health Hazard no Chronic Health Hazard no

Fire Hazard Yes
Sudden Release of Pressure Hazard Yes

Sudden Release of Pressure Hazard
Yes
Reactive Hazard
no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

U.S. - Pennsylvania - RTK (Right to Know) List

Carbon dioxide 124-38-9 present Isopropyl alcohol 67-63-0 environmetal hazard Synthetic isoparaffinic hydrocarbon 64742-47-28 present

International Regulations

Chemical Name	Carcinogen Status	Exposure Limits
Carbon Dioxide		Mexico: TWA 5000 ppm Mexico: TWA 9000
		mg/m³
		Mexico: STEL 15000 ppm Mexico: STEL
		27000 mg/m ³
Isopropyl alcohol		Mexico: TWA 400 ppm Mexico: TWA 980
		mg/m³
		Mexico: STEL 500 ppm Mexico: STEL 1225
		mg/m³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Chemical Name	NPRI
Isopropyl alcohol	X

16. OTHER INFORMATION

Prepared By

Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400 Charlotte, NC 28210

Issuing date 10-Nov-2011

Revision Date 10-Nov-2011

Revision Note No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet